

# APEKS 2025

DISTRIBUTED BY  
SAMUI SCUBA PRO CO., LTD.



**apeks**<sup>®</sup>

TECHNICALLY INSPIRED

# ABOUT APEKS

In the mid-1970s, two friends decided to combine their knowledge of diving and precision engineering. Working from a small garage in the north of England, they set about creating what have become some of the most respected regulators on the market.

Decades later that spirit of precision-engineering and craftsmanship continues. The full range of Apeks dive equipment, which now includes regulators, bladders, instruments and accessories is trusted by divers around the world. Because when the environment demands, only one thing matters; that your dive kit is designed, developed and tested to keep you safe and comfortable.

The name Apeks comes from a combination of letters from the founders' names. Ken Smith Ainscough and Eric Partington.

## The Apeks Lifestyle

Whether it's a warm-water sidemount dive or a cold-water deep dive, Apeks products are designed to maximise your diving adventure. The emphasis is on premium, progressive products that allow a variety of diving configurations to meet the needs of each diver. Tested and proven over decades by the extreme tech community, Apeks products are built for everyone.

## Apeks Around the World

Apeks is dedicated to helping customers maximize their scuba diving experience. With independently-owned Apeks Partner Centres located all over the globe, divers can make the most of their dives no matter where they are. Apeks has the distinct pleasure of working with a number of inspiring ambassadors who make a positive, lasting impact on the world. Their contributions to society and the earth at large are making our world a better place, and Apeks is honoured to offer support.

Wherever you are located, the adventure starts with Apeks!

<b>APEKS</b>	02
<b>REGULATORS</b>	04
<b>BUOYANCY SYSTEMS</b>	26
<b>INSTRUMENTATION</b>	40
<b>MASKS &amp; FINS</b>	44
<b>TORCHES</b>	50
<b>TECH SHORTS</b>	56
<b>BAGS</b>	58
<b>REELS &amp; SPOOLS</b>	60





## MTX-R SIDEMOUNT REGULATOR SET

The Apeks sidemount regulator kit delivers the necessary hardware and accessories for sidemount diving, along with two MTX-R regulators. Everything a diver needs for a sidemount breathing system is found in this kit.

**KIT CONTENTS**

- 2 ea. MTX-R DIN 1st stages with 5 port swivel turrets.
- 2 ea. MTX-R 2nd stages.
- 210cm double swivel hose.
- 65cm double swivel hose.
- 2 ea. 25cm length MP inflation. Hoses (one for buoyancy system, one for dry suit).

- 2 ea. tek pressure gauges with 18cm hoses.
- 1 ea. 90° elbow fitting.
- 1 ea. stainless steel bolt snap.
- 2 sets of short exhaust ports.
- Regulator bag.
- Setup illustration, CD manual and quick start guide.

Part #	Description	THAI BAHT
RP111111	MTX-R Sidemount Regulator Kit	86,990.00



## BUNGEE CONNECTOR SYSTEM

The Apeks bungee connector system has been designed to be a neat storage solution for your back up regulator and can be configured to your personal preference. The system also has a lock out feature for retaining a regulator in the mouth of an unconscious diver during a rescue situation.

Part #	Description	THAI BAHT
RA117111	Bungee Connector Kit	1,190.00



## XTX50 SIDEMOUNT REGULATOR SET

The Apeks sidemount regulator kit delivers the necessary hardware and accessories for sidemount diving, along with two award-winning XTX50 regulators. Everything a diver needs for a sidemount breathing system is found in this set.

**KIT CONTENTS**

- 2 ea. DST DIN regulators with 5 port swivel turrets.
- 2 ea. XTX50 2<sup>nd</sup> stages (the set can be used with all XTX 2<sup>nd</sup> stages).
- 210cm double swivel hose.
- 65cm double swivel hose.
- 2 ea. 25cm length MP inflation hoses (one for buoyancy system, one for drysuit).

- 2 ea. tek pressure gauges with 18cm hoses.
- 1 ea. 90° elbow fitting.
- 1 ea. stainless steel bolt snap.
- 2 sets of short exhaust ports.
- Regulator bag.
- Setup illustration, CD manual and quick start guide.

Part #	Description	THAI BAHT
RP111121	XTX50 Sidemount Regulator Kit	75,990.00

## NEW! HOSE RETAINING PIECE

The Apeks Hose Retainer is used to retain the long hose when diving in a long hose configuration without the need for a canister light. The hose retainer fits any standard 2» webbing and can be used with both single and double tank configurations.

Machined from a single piece of Delrin with a laser etched Apeks logo, the hose retainer is both sleek and durable.

Weight: 60g

Dimensions: 150mm x 20mm (6" x 0.78" Inches)



Part #	Description	THAI BAHT
TH117125	Hose Retaining Piece Kit	1,190.00



## TEK3 REGULATOR SET

Apeks has developed unique first stages specifically for use on a twinset. The benefits of this system are that there is a minimised risk of accidental snagging, no hose kinking and easier access to the manifold valves. Each first stage has three medium pressure ports and one high pressure port. They are over-balanced, cold water compatible and extremely robust. TEK3 looks great too! Not only is the TEK3 suitable for twinset use but it is equally suitable for single cylinder or stage cylinder configurations - offering perfect, snag-free hose positioning.

### KIT CONTENTS

Set includes two XTX50 2<sup>nd</sup> stages with double swivel hoses (the set can be used with all XTX 2<sup>nd</sup> stages).

The TEK3 utilises all of the proven technology contained within the Apeks range of 1<sup>st</sup> stage regulators.

Incorporates three medium pressure 3/8" UNF ports and one high pressure 7/16".

UNF port. The ports are arranged to give a neat streamlined hose configuration.

Allows maximum unrestricted accessibility to the cylinder valves when using a twin cylinder set up.

Now includes Bungee Connector System.

Part #	Description	THAI BAHT
RP112114	Tek 3 Set, Complete	68,490.00
RT133113	Tek 3 First Stages Left + Right Hand	37,590.00
RT133111	Tek 3 Left Hand First Stage	19,090.00
RT133112	Tek 3 Right Hand First Stage	19,090.00



\*QUALITY BAG INCLUDED WITH SET.

## MTX-RC SINGLE CYLINDER LONG HOSE SET

Part #	Description	THAI BAHT
RC128000	SINGLE CYLINDER MTX-RC SET	62,990.00

The MTX-RC Single Cylinder Long Hose set is designed for the diver that prefers a long hose configuration on a single cylinder. It is also the perfect set-up for the recreational diver looking to transition into twinset diving in the future, as the addition of another first stage creates a twinset regulator configuration.

The package includes 2xMTX-RC primary second stages, 1xMTX-RC first stage, 1x2.1m hose, 1x49cm hose (both double swivel hoses), a HP hose and a TEK SPG.

### 1<sup>st</sup> stage



**ENVIRONMENTALLY SEALED**  
Dry chamber prevents water coming into contact with the 1<sup>st</sup> stage spring to stop freezing.



**UNFREEZABLE END CAP TECHNOLOGY**  
1<sup>st</sup> stage end cap prevents ice build up in extreme cold water to prevent the 1<sup>st</sup> stage freezing.



**DUST CAP PROTECTION**  
Dust cap prevents water or debris from entering the 1<sup>st</sup> stage.



**TURRET STYLE**  
Rotating turret style 1<sup>st</sup> stage reduced hose tension and allows for optimum hose positions and comfort.



**FORGED**  
Forged 1<sup>st</sup> stage body allows for optimum hose positions for maximum diver comfort.



**HEAT EXCHANGER**  
Unique 1<sup>st</sup> stage design allows for maximum surface area to draw heat from the water to increase breathing gas temperature.



**OVER BALANCED**  
Over compensating 1<sup>st</sup> stage allows for maximum performance at depth.



**REMOVEABLE VALVE SEAT**  
Removeable 1<sup>st</sup> stage valve seat can be replaced if damage occurs.

### 2<sup>nd</sup> stage



**COMFOBITE**  
Patented Comfobite mouthpiece reduces jaw fatigue. Secures the 2<sup>nd</sup> stage more comfortably.



**DOUBLE SWIVEL HOSE**  
Reduces tension on both ends of the hose to improve overall comfort.



**DIVER CHANGEABLE EXHAUST**  
Easy to change exhaust system to offer a choice between compact size or optimum bubble diversion.



**METALIC INSERT COVER**  
Metalic insert in the 2<sup>nd</sup> stage increases overall durability of the product.



**VENTURI LEVER**  
Disrupts the airflow inside the 2<sup>nd</sup> stage to prevent accidental free flows at the surface.



**BREATHING EFFORT ADJUSTMENT**  
Precise control of breathing effort depending on current.



\*Quality bag included with regulator.



Fully controlled regulator for complete user customisation.

## MTX-RC

Own your environment with the MTX-RC scuba diving regulator. Combining rugged, military grade engineering with the super-smooth breathing experience that Apeks regulators are renowned for, the MTX-RC is the regulator that dives your way. Featuring the same freeze-resistant technology enjoyed by the whole MTX-R range, the MTX-RC resists freeflows in even the coldest temperatures, while offering the user the additional flexibility to dial it up for a comfortable breathe in less extreme environments. All this is achieved using an innovative first stage design that protects the regulator from freezing and a full set of user controls on the 2<sup>nd</sup> stage to adjust the breathing performance based on the diver's individual needs.

Part # YOKE	Description	THAI BAHT
RT127128	MTX-RC 1st Stage	26,490.00
RS116119	MTX-RC 2nd Stage	19,590.00
RG112129	MTX-RC Regulator	41,690.00
RQ115117	MTX-RC Stage 3	54,690.00
RQ115117/4-1	MTX-RC Stage 4 -1	59,190.00
RQ115117/4-2	MTX-RC Stage 4 -2	62,890.00
* Stage 4 sets come with Apeks instrument console and H.P. Rubber Hose. Addition for optional low diameter H.P. Flex Hose.		400.00

**1<sup>st</sup> stage**

- ENVIRONMENTALLY SEALED**  
Dry chamber prevents water coming into contact with the 1<sup>st</sup> stage spring to stop freezing.
- UNFREEZABLE END CAP TECHNOLOGY**  
1<sup>st</sup> stage end cap prevents ice build up in extreme cold water to prevent the 1<sup>st</sup> stage freezing.
- DUST CAP PROTECTION**  
Dust cap prevents water or debris from entering the 1<sup>st</sup> stage.
- TURRET STYLE**  
Rotating turret style 1<sup>st</sup> stage reduced hose tension and allows for optimum hose positions and comfort.
- FORGED**  
Forged 1<sup>st</sup> stage body allows for optimum hose positions for maximum diver comfort.
- HEAT EXCHANGER**  
Unique 1<sup>st</sup> stage design allows for maximum surface area to draw heat from the water to increase breathing gas temperature.
- OVER BALANCED**  
Over compensating 1<sup>st</sup> stage allows for maximum performance at depth.
- REMOVEABLE VALVE SEAT**  
Removeable 1<sup>st</sup> stage valve seat can be replaced if damage occurs.

**2<sup>nd</sup> stage**

- COMFOBITE**  
Patented Comfobite mouthpiece reduces jaw fatigue. Secures the 2<sup>nd</sup> stage more comfortably.
- DOUBLE SWIVEL HOSE**  
Reduces tension on both ends of the hose to improve overall comfort.
- DIVER CHANGEABLE EXHAUST**  
Easy to change exhaust system to offer a choice between compact size or optimum bubble diversion.
- METALIC INSERT COVER**  
Metalic insert in the 2<sup>nd</sup> stage increases overall durability of the product.
- VENTURI LEVER**  
Disrupts the airflow inside the 2<sup>nd</sup> stage to prevent accidental free flows at the surface.
- BREATHING EFFORT ADJUSTMENT**  
Precise control of breathing effort depending on current.



\*Quality bag included with regulator.

This regulator is designed to meet all aspects of the NEDU (Navy Experimental Diving Unit) military requirements for diving in very cold water.



Simple to use with no dive adjustment controls and reduced chance of free flow occurrence, pre-settable cracking effort or venturi control by an Apeks approved qualified technician.

## MTX-R

The MTX-R is based on the MTX, a regulator that was developed in accordance with the United States Navy Experimental Dive Unit extreme cold water test. Innovations in design mean that the MTX-R regulator performs in almost freezing water at a depth of over 60 metres, something that very few other regulators on the consumer market can boast. With an innovative first stage design that helps to prevent ice build up around the diaphragm, the MTX-R is reliable, rugged and expedition ready.

Part # YOKE	Description	THAI BAHT
RT127112	MTX-R 1st Stage	26,490.00
RS116111	MTX-R 2nd Stage	18,190.00
RG122112	MTX-R Regulator	39,590.00
RQ115111	MTX-R Stage 3	51,490.00
RQ115111/4-1	MTX-R Stage 4 -1	55,990.00
RQ115111/4-2	MTX-R Stage 4 -2	59,690.00
* Stage 4 sets come with Apeks instrument console and H.P. Rubber Hose. Addition for optional low diameter H.P. Flex Hose.		400.00

**1<sup>st</sup> stage**

- ENVIRONMENTALLY SEALED**  
Dry chamber prevents water coming into contact with the 1<sup>st</sup> stage spring to stop freezing.
- UNFREEZABLE END CAP TECHNOLOGY**  
1<sup>st</sup> stage end cap prevents ice build up in extreme cold water to prevent the 1<sup>st</sup> stage freezing.
- DUST CAP PROTECTION**  
Dust cap prevents water or debris from entering the 1<sup>st</sup> stage.
- TURRET STYLE**  
Rotating turret style 1<sup>st</sup> stage reduced hose tension and allows for optimum hose positions and comfort.
- FORGED**  
Forged 1<sup>st</sup> stage body allows for optimum hose positions for maximum diver comfort.
- HEAT EXCHANGER**  
Unique 1<sup>st</sup> stage design allows for maximum surface area to draw heat from the water to increase breathing gas temperature.
- OVER BALANCED**  
Over compensating 1<sup>st</sup> stage allows for maximum performance at depth.
- REMOVEABLE VALVE SEAT**  
Removeable 1<sup>st</sup> stage valve seat can be replaced if damage occurs.

**2<sup>nd</sup> stage**

- COMFOBITE**  
Patented Comfobite mouthpiece reduces jaw fatigue. Secures the 2<sup>nd</sup> stage more comfortably.
- DOUBLE SWIVEL HOSE**  
Reduces tension on both ends of the hose to improve overall comfort.
- DIVER CHANGEABLE EXHAUST**  
Easy to change exhaust system to offer a choice between compact size or optimum bubble diversion.
- METALIC INSERT COVER**  
Metalic insert in the 2<sup>nd</sup> stage increases overall durability of the product.
- NO CONTROLS**  
No breathing adjustment or venturi to allow you to focus on the dive.



## XL4 OCEA

The Ocea is the first of its kind – an environmentally-conscious regulator made from recycled materials and bio-plastics, manufactured in a solar-powered facility. Based on the XL4+, every single material and process was reconsidered to create the most eco-sensitive scuba diving regulator in the world.

### 1<sup>st</sup> stage



**ENVIRONMENTALLY SEALED**  
Dry chamber prevents water coming into contact with the 1<sup>st</sup> stage spring to stop freezing.



**LEAD FREE BRASS**  
Lead free brass is kinder to the environment and reduces the regulators footprint.



**TRIVALENT CHROME PLATING**  
Trivalent chrome uses less energy than traditional chrome and is kinder to the environment.



**OVER BALANCED**  
Over compensating 1<sup>st</sup> stage allows for maximum performance at depth.



**DUST CAP PROTECTION**  
Dust cap prevents water or debris from entering the 1<sup>st</sup> stage.



### 2<sup>nd</sup> stage



**COMFOBITE**  
Patented Comfobite mouthpiece reduces jaw fatigue. Secures the 2<sup>nd</sup> stage more comfortably.



**VENTURI LEVER**  
Disrupts the airflow inside the 2<sup>nd</sup> stage to prevent accidental free flows at the surface.



**BIO BASED POLYMERS**  
Bio based polymers are made from non petroleum based sources.




**POST CONSUMER RECYCLED WASTE**  
2<sup>nd</sup> stage polymers are made from post consumer recycled waste.



Part # YOKE	Part # DIN	Description	THAI BAHT
RT111117	RT111119	XL4 Ocea Mint 1st Stage	19,190.00
		XL4 Ocea Mint 2nd Stage	12,490.00
RG124121	RG124123	XL4 Ocea Mint Regulator	30,990.00
RQ117115	RQ117117	XL4 Ocea Mint Stage 3	42,490.00
RG124121/4-1	RG124123/4-1	XL4 Ocea Mint Stage 4 -1	46,990.00
RG124121/4-2	RG124123/4-2	XL4 Ocea Mint Stage 4 -2	50,690.00
* Stage 4 sets come with Apeks instrument console and H.P. Rubber Hose. Addition for optional low diameter H.P. Flex Hose.			400.00

Part # YOKE	Part # DIN	Description	THAI BAHT
RT111118	RT111120	XL4 Ocea Grey 1st Stage	19,190.00
RS118118		XL4 Ocea Grey 2nd Stage	12,490.00
RG124122	RG124124	XL4 Ocea Grey Regulator	30,990.00
RQ117116	RQ117118	XL4 Ocea Grey Stage 3	42,490.00
RG124122/4-1	RG124124/4-1	XL4 Ocea Grey Stage 4 -1	46,990.00
RG124122/4-2	RG124124/4-2	XL4 Ocea Grey Stage 4 -2	50,690.00
* Stage 4 sets come with Apeks instrument console and H.P. Rubber Hose. Addition for optional low diameter H.P. Flex Hose.			400.00





The extra high pressure port gives the option of an additional accessory, e.g. a transmitter for a computer.



Part # YOKE	Part # DIN	Description	THAI BAHT
RT111115	AP0913W	DB4 1st Stage White	17,390.00
RS118113		XL4 2nd Stage White	10,990.00
RT111122	AP0910W	XL4+ Regulator	30,190.00
AP0917WO	AP0918W	XL+ Stage 3	41,290.00
AP0917WO/4-1	AP0918WO/4-1	XL+ Stage 4 -1	45,790.00
AP0917WO/4-2	AP0918WO/4-2	XL+ Stage 4 -2	49,490.00
* Stage 4 sets come with Apeks instrument console and H.P. Rubber Hose. Addition for optional low diameter H.P. Flex Hose.			400.00

## XL4+

The Apeks XL4+ is a compact lightweight regulator suitable for diving in all environments including cold water locations. Its design and low weight help reduce jaw fatigue on long dives. The XL4+ also makes an ideal stage regulator, perfect for the exploration diver with a large amount of equipment. The XL4+ regulator is a high-performance option for those divers serious about weight savings.

<p>1<sup>st</sup> stage</p> <ul style="list-style-type: none"> <li> ENVIRONMENTALLY SEALED Dry chamber prevents water coming into contact with the 1<sup>st</sup> stage spring to stop freezing.</li> <li> OVER BALANCED Over compensating 1<sup>st</sup> stage allows for maximum performance at depth.</li> <li> DUST CAP PROTECTION Dust cap prevents water or debris from entering the 1<sup>st</sup> stage.</li> </ul>
<p>2<sup>nd</sup> stage</p> <ul style="list-style-type: none"> <li> COMFOBITE Patented Comfobite mouthpiece reduces jaw fatigue. Secures the 2<sup>nd</sup> stage more comfortably.</li> <li> VENTURI LEVER Disrupts the airflow inside the 2<sup>nd</sup> stage to prevent accidental free flows at the surface.</li> </ul>



## XTX50

Designed for those who prioritize durability and reliability, the XTX50 is a feature-rich regulator that excels in performance. With four medium-pressure ports strategically arranged on a rotating turret, this popular regulator ensures optimal hose routing while eliminating sharp bends. Immerse yourself in confidence with the XTX50.

Part # YOKE	Part # DIN	Description	THAI BAHT
RT129116	AP0361F-1	DST 1st Stage	18,890.00
AP0361F/5	RT129117	DST 5 PORT 1st Stage	20,790.00
RS132111		XTX50 2nd Stage	15,890.00
RG115127	AP0332F-1	XTX50 Regulator	35,390.00
RQ129114	AP0317F-1	XTX50 Stage 3	42,790.00
RQ129114/4-1	AP0317F-1/4-1*	XTX50 Stage 4 -1	47,290.00
RQ129114/4-2	AP0317F-1/4-2*	XTX50 Stage 4 -2	50,990.00
* Stage 4 sets come with Apeks instrument console and H.P. Rubber Hose. Addition for optional low diameter H.P. Flex Hose.			400.00

<p>1<sup>st</sup> stage</p> <ul style="list-style-type: none"> <li> ENVIRONMENTALLY SEALED Dry chamber prevents water coming into contact with the 1<sup>st</sup> stage spring to stop freezing.</li> <li> OVER BALANCED Over compensating 1<sup>st</sup> stage allows for maximum performance at depth.</li> <li> DUST CAP PROTECTION Dust cap prevents water or debris from entering the 1<sup>st</sup> stage.</li> </ul>	<ul style="list-style-type: none"> <li> TURRET STYLE Rotating turret style 1<sup>st</sup> stage reduced hose tension and allows for optimum hose positions and comfort.</li> </ul>
<p>2<sup>nd</sup> stage</p> <ul style="list-style-type: none"> <li> COMFOBITE Patented Comfobite mouthpiece reduces jaw fatigue. Secures the 2<sup>nd</sup> stage more comfortably.</li> <li> VENTURI LEVER Disrupts the airflow inside the 2<sup>nd</sup> stage to prevent accidental free flows at the surface.</li> </ul>	<ul style="list-style-type: none"> <li> DOUBLE SWIVEL HOSE Reduces tension on both ends of the hose to improve overall comfort.</li> <li> DIVER CHANGEABLE EXHAUST Easy to change exhaust system to offer a choice between compact size or optimum bubble diversion.</li> <li> BREATHING EFFORT ADJUSTMENT Precise control of breathing effort depending on current.</li> </ul>



## XTX40

Explore the underwater world with the XTX40, our entry-level XTX regulator featuring the robust DS4 first stage. Designed for reliability and performance, the DS4 boasts a precision-machined body with four medium-pressure ports and one high-pressure port.

Part # YOKE	Part # DIN	Description	THAI BAHT
RT134114	AP0526	DS4 1st Stage	14,990.00
RS131111		XTX40 2nd Stage	14,990.00
RG114122	AP0331F-1	XTX40 Regulator	27,590.00
RQ128116	AP0314F-1	XTX40 Stage 3	34,990.00
RQ128116/4-1	AP0314F-1/4-1*	XTX40 Stage 4 -1	39,490.00
RQ128116/4-2	AP0314F-1/4-2*	XTX40 Stage 4 -2	43,190.00
* Stage 4 sets come with Apeks instrument console and H.P. Rubber Hose. Addition for optional low diameter H.P. Flex Hose.			400.00

<p>1<sup>st</sup> stage</p> <ul style="list-style-type: none"> <li> ENVIRONMENTALLY SEALED Dry chamber prevents water coming into contact with the 1<sup>st</sup> stage spring to stop freezing.</li> <li> OVER BALANCED Over compensating 1<sup>st</sup> stage allows for maximum performance at depth.</li> <li> DUST CAP PROTECTION Dust cap prevents water or debris from entering the 1<sup>st</sup> stage.</li> </ul>
<p>2<sup>nd</sup> stage</p> <ul style="list-style-type: none"> <li> COMFOBITE Patented Comfobite mouthpiece reduces jaw fatigue. Secures the 2<sup>nd</sup> stage more comfortably.</li> <li> VENTURI LEVER Disrupts the airflow inside the 2<sup>nd</sup> stage to prevent accidental free flows at the surface.</li> </ul>



NEW FOR 2025



## EVX TUNGSTEN EVOLUTION OF PERFECTION

The evolution of 50 years of technical expertise, the EVX Tungsten combines state-of-the-art regulator technology with rugged good looks and durability. Maximum thermal performance, super-smooth breathing and advanced ergonomics set the EVX Tungsten apart, making it the perfect regulator for divers who want style, substance and exceptional performance, no matter the environment.

1 <sup>st</sup> stage					
	<b>UNFREEZABLE END CAP TECHNOLOGY</b> 1 <sup>st</sup> stage end cap prevents ice build up in extreme cold water to prevent the 1 <sup>st</sup> stage freezing.		<b>ERGONOMICALLY DESIGNED</b> Seven optimised port positions (5 x MP 2 x HP) for increased diver comfort and reduced snag hazards.		<b>ACD</b> AUTO CLOSURE DEVICE ACD prevents water and debris from reaching 1 <sup>st</sup> stage parts or lubrication, extending life between services.
	<b>OVER BALANCED</b> Over compensating 1 <sup>st</sup> stage allows for maximum performance at depth.		<b>PVD COATING</b> PVD coating increases durability, reduces wear and tear for longer-lasting premium appearance.		
2 <sup>nd</sup> stage					
	<b>COMFOBITE</b> Patented Comfobite mouthpiece reduces jaw fatigue. Secures the 2 <sup>nd</sup> stage more comfortably.		<b>LAMINAR FLOW VALVE</b> Smoother breathe and reduced vibration.		<b>REVERSIBLE SPINDLE</b> Hose can be switched from one side of the 2nd stage to the other to suit configuration.
	<b>DOUBLE SWIVEL HOSE</b> Reduces tension on both ends of the hose to improve comfort.		<b>PROGRESSIVE PURGE</b> Delivers precise airflow control for purging or deploying an SMB.		

Part # YOKE	Part # DIN	Description	THAI BAHT
RT150000	RT150003	EVX TUNGSTEN 1st Stage	37,590.00
RS148001		EVX TUNGSTEN 2nd stage	21,690.00
RG159003	RG159002	EVX TUNGSTEN Regulator	48,390.00
RQ138003	RQ138002	EVX TUNGSTEN Stage3	59,690.00
RQ138003/4-1	RQ138002/4-1*	EVX TUNGSTEN Stage 4 - 1	64,190.00
RQ138003/4-2	RQ138002/4-2*	EVX TUNGSTEN Stage 4 - 2	67,890.00

\* Stage 4 sets come with Apeks instrument console and H.P. Rubber Hose. Addition for optional low diameter H.P. Flex Hose.

400.00





NEW FOR 2025



## EVX200

### EVOLUTION OF PERFECTION

Designed with precision, engineered to perfection, the EVX redefines excellence. An evolution of the most advanced regulator technology, it's the perfect regulator for divers who crave adventure in the most demanding environments. With advanced ergonomics, renowned reliability and a super smooth breathing experience, the EVX delivers outstanding performance in all conditions.

1<sup>st</sup> stage

**UNFREEZABLE END CAP TECHNOLOGY**  
1<sup>st</sup> stage end cap prevents ice build up in extreme cold water to prevent the 1<sup>st</sup> stage freezing.



**ERGONOMICALLY DESIGNED**  
Seven optimised port positions (5 x MP 2 x HP) for increased diver comfort and reduced snag hazards.



**ACD AUTO CLOSURE DEVICE**  
ACD prevents water and debris from reaching 1<sup>st</sup> stage parts or lubrication, extending life between services.



**OVER BALANCED**  
Over compensating 1<sup>st</sup> stage allows for maximum performance at depth.

2<sup>nd</sup> stage

**COMFOBITE**  
Patented Comfobite mouthpiece reduces jaw fatigue. Secures the 2<sup>nd</sup> stage more comfortably.



**LAMINAR FLOW VALVE**  
Smoother breathe and reduced vibration.



**REVERSIBLE SPINDLE**  
Hose can be switched from one side of the 2nd stage to the other to suit configuration.



**DOUBLE SWIVEL HOSE**  
Reduces tension on both ends of the hose to improve comfort.



**PROGRESSIVE PURGE**  
Delivers precise airflow control for purging or deploying an SMB.

Part # YOKE	Part # DIN	Description	THAI BAHT
RT150001	RT150002	EVX 200 1st Stage	32,790.00
RS148000		EVX 200 2nd stage	16,790.00
RG159001	RG159000	EVX 200 Regulator	37,390.00
RQ138001	RQ138000	EVX 200 Stage3	48,690.00
RQ138001/4-1	RQ138000/4-1*	EVX 200 Stage 4 -1	53,190.00
RQ138001/4-2	RQ138000/4-2*	EVX 200 Stage 4 -2	56,890.00
* Stage 4 sets come with Apeks instrument console and H.P. Rubber Hose. Addition for optional low diameter H.P. Flex Hose.			400.00





## AT

Dive into warmer waters with the AT regulator, designed for optimal performance in temperate environments. Similar to the ATX, this high-performance regulator has fully balanced 1<sup>st</sup> and 2<sup>nd</sup> stages, ensuring a reliable and comfortable diving experience.

1<sup>st</sup> stage ..... 2<sup>nd</sup> stage .....

**DUST CAP PROTECTION**  
Dust cap prevents water or debris from entering the 1<sup>st</sup> stage.

**COMFOBITE**  
Patented Comfobite mouthpiece reduces jaw fatigue. Secures the 2<sup>nd</sup> stage more comfortably.

**VENTURI LEVER**  
Disrupts the airflow inside the 2<sup>nd</sup> stage to prevent accidental free flows at the surface.

Part # YOKE	Part # DIN	Description	THAI BAHT
RT137112	AP0518	US4 1st Stage	11,490.00
RQ111111	AP0545C-1/US4	AT20 Regulator	18,990.00
RQ111112	AP0588C-1/US4	AT20 Stage 3	24,690.00
RQ111112/4-1	AP0588C-1/US4/4-1*	AT20 Stage 4 -1	29,190.00
RQ111112/4-2	AP0588C-1/US4/4-2*	AT20 Stage 4 -2	32,890.00
* Stage 4 sets come with Apeks instrument console and H.P. Rubber Hose. Addition for optional low diameter H.P. Flex Hose.			400.00



## ATX

Embark on your diving journey with the ATX, an inspiring entry-level regulator that immerses you in the world of Apeks excellence. Fully balanced 1<sup>st</sup> and 2<sup>nd</sup> stages, the ATX offers high performance, making it suitable for confident exploration in both temperate and colder waters.

1<sup>st</sup> stage ..... 2<sup>nd</sup> stage .....

**ENVIRONMENTALLY SEALED**  
Dry chamber prevents water coming into contact with the 1<sup>st</sup> stage spring to stop freezing.

**OVER BALANCED**  
Over compensating 1<sup>st</sup> stage allows for maximum performance at depth.

**DUST CAP PROTECTION**  
Dust cap prevents water or debris from entering the 1<sup>st</sup> stage.

2<sup>nd</sup> stage .....

**COMFOBITE**  
Patented Comfobite mouthpiece reduces jaw fatigue. Secures the 2<sup>nd</sup> stage more comfortably.

**VENTURI LEVER**  
Disrupts the airflow inside the 2<sup>nd</sup> stage to prevent accidental free flows at the surface.

Part # YOKE	Part # DIN	Description	THAI BAHT
RT134114	AP0528	DS4 1st Stage	14,990.00
RG117111	AP0540C-1/DS4	ATX40 Regulator	21,990.00
RQ112112	AP0589C-1/DS4	ATX40 Stage 3	29,790.00
RQ112112/4-1	AP0589C-1/DS4/4-1*	ATX40 Stage 4 -1	34,290.00
RQ112112/4-2	AP0589C-1/DS4/4-2*	ATX40 Stage 4 -2	37,990.00
* Stage 4 sets come with Apeks instrument console and H.P. Rubber Hose. Addition for optional low diameter H.P. Flex Hose.			400.00



## XTX40 NITROX

### Nitrox XTX40/DS4

The first stage is dry sealed keeping all internal components protected from the environment.

Green and yellow cosmetic pieces clearly identify that this regulator is dedicated for high-percentage oxygen use.

XTX pneumatically balanced second stage has left/right reversibility and a Diver Changeable Exhaust (DCE) system. Only the compact exhaust tee is supplied.

Integrated venturi control.  
Suitable for cold-water use.

1<sup>st</sup> stage ..... 2<sup>nd</sup> stage .....

**ENVIRONMENTALLY SEALED**  
Dry chamber prevents water coming into contact with the 1<sup>st</sup> stage spring to stop freezing.

**Dust Cap Protection**  
Dust cap prevents water or debris from entering the 1st stage.

**OVER BALANCED**  
Over compensating 1<sup>st</sup> stage allows for maximum performance at depth.

2<sup>nd</sup> stage .....

**COMFOBITE**  
Patented Comfobite mouthpiece reduces jaw fatigue. Secures the 2<sup>nd</sup> stage more comfortably.

**VENTURI LEVER**  
Disrupts the airflow inside the 2<sup>nd</sup> stage to prevent accidental free flows at the surface.

**PROGRESSIVE PURGE**  
Allows for precise airflow control when purging or filling an SMB.

Part #	Description	THAI BAHT
RG114113	XTX40 Regulator DIN, Oxygen	29,490.00

## MTX-RC OCTOPUS

Part #	Description	THAI BAHT
RS116114	MTX-RC Octopus With Yellow Hose	17,990.00

Combining rugged, military grade engineering with the super-smooth breathing experience that Apeks regulators are renowned for, the MTX-RC octopus is the perfect partner to our MTX-RC regulator.

 2<sup>nd</sup> stage


**COMFOBITE**  
Patented Comfobite mouthpiece reduces jaw fatigue. Secures the 2<sup>nd</sup> stage more comfortably.



**DOUBLE SWIVEL HOSE**  
Reduces tension on both ends of the hose to improve overall comfort.



**METALIC INSERT COVER**  
Metalic insert in the 2<sup>nd</sup> stage increases overall durability of the product.



**VENTURI LEVER**  
Disrupts the airflow inside the 2<sup>nd</sup> stage to prevent accidental free flows at the surface.



**DIVER CHANGEABLE EXHAUST**  
Easy to change exhaust system to offer a choice between compact size or optimum bubble diversion.



**BREATHING EFFORT ADJUSTMENT**  
Precise control of breathing effort depending on current.



## MTX-R OCTOPUS

Part #	Description	THAI BAHT
RS116112	MTX-R Octopus With Yellow Hose	16,290.00

For extreme conditions this is a cold water high performance, pneumatically balanced 2<sup>nd</sup> Stage. Combine this Octopus with the MTX-R regulator for the perfect cold water solution.

 2<sup>nd</sup> stage


**COMFOBITE**  
Patented Comfobite mouthpiece reduces jaw fatigue. Secures the 2<sup>nd</sup> stage more comfortably.



**DOUBLE SWIVEL HOSE**  
Reduces tension on both ends of the hose to improve overall comfort.



**METALIC INSERT COVER**  
Metalic insert in the 2<sup>nd</sup> stage increases overall durability of the product.



**NO CONTROLS**  
No breathing adjustment or venturi to allow you to focus on the dive.



**DIVER CHANGEABLE EXHAUST**  
Easy to change exhaust system to offer a choice between compact size or optimum bubble diversion.



## OCEA OCTOPUS

Part #	Description	THAI BAHT
RS118120	XL4 Ocea Octopus With Yellow Hose	14,190.00

The Ocea is the first of its kind – an environmentally-conscious regulator made from recycled materials and bio-plastics, manufactured in a solar-powered facility. The Ocea Octopus provides the same features and performance as the Ocea 2<sup>nd</sup> stage and is the perfect partner for the Ocea regulator.



**COMFOBITE**  
Patented Comfobite mouthpiece reduces jaw fatigue. Secures the 2<sup>nd</sup> stage more comfortably.



**VENTURI LEVER**  
Disrupts the airflow inside the 2<sup>nd</sup> stage to prevent accidental free flows at the surface.



**BIO BASED POLYMERS**  
Bio based polymers are made from non petroleum based sources.



**POST CONSUMER RECYCLED WASTE**  
2<sup>nd</sup> stage polymers are made from post consumer recycled waste.



## XL4+ OCTOPUS

Part #	Description	THAI BAHT
RS118122	XL4+ Octopus With Yellow Hose	14,190.00

The Apeks XL4+ is a compact lightweight regulator suitable for diving in all environments including cold water locations. The XL4+ Octopus provides the same features and performance as the XL4+ 2<sup>nd</sup> stage and is the perfect Octo for the XL4+ regulator.



**COMFOBITE**  
Patented Comfobite mouthpiece reduces jaw fatigue. Secures the 2<sup>nd</sup> stage more comfortably.



**VENTURI LEVER**  
Disrupts the airflow inside the 2<sup>nd</sup> stage to prevent accidental free flows at the surface.



## XTX50 OCTOPUS

Part #	Description	THAI BAHT
RS132117	XTX50 Octopus With Yellow Hose	15,590.00

The XTX50 Octopus is our top-of-the-line Octopus in terms of features and performance. It provides the same features and performance as the XTX50 second stage and includes left / right hand reversibility. It comes with a high visibility yellow front cover and a 36" yellow hose. Suitable for cold water use (below 10 C / 50 F).

 2<sup>nd</sup> stage


**COMFOBITE**  
Patented Comfobite mouthpiece reduces jaw fatigue. Secures the 2<sup>nd</sup> stage more comfortably.



**DOUBLE SWIVEL HOSE**  
Reduces tension on both ends of the hose to improve overall comfort.



**PROGRESSIVE PURGE**  
Allows for precise airflow control when purging or filling an SMB.



**VENTURI LEVER**  
Disrupts the airflow inside the 2<sup>nd</sup> stage to prevent accidental free flows at the surface.



**DIVER CHANGEABLE EXHAUST**  
Easy to change exhaust system to offer a choice between compact size or optimum bubble diversion.



**BREATHING EFFORT ADJUSTMENT**  
Precise control of breathing effort depending on current.



## XTX40 OCTOPUS

Part #	Description	THAI BAHT
RS131115	XTX40 Octopus With Yellow Hose	11,190.00

The XTX40 Octopus provides the same features and performance as the XTX40 2<sup>nd</sup> stage and includes left / right hand reversibility. It comes with a high visibility yellow front cover and a 36" yellow hose. Suitable for cold water use (below 10°C / 50°F).

 2<sup>nd</sup> stage


**COMFOBITE**  
Patented Comfobite mouthpiece reduces jaw fatigue. Secures the 2<sup>nd</sup> stage more comfortably.



**DOUBLE SWIVEL HOSE**  
Reduces tension on both ends of the hose to improve overall comfort.



**PROGRESSIVE PURGE**  
Allows for precise airflow control when purging or filling an SMB.



**VENTURI LEVER**  
Disrupts the airflow inside the 2<sup>nd</sup> stage to prevent accidental free flows at the surface.



**DIVER CHANGEABLE EXHAUST**  
Easy to change exhaust system to offer a choice between compact size or optimum bubble diversion.



NEW FOR 2025

## EVX OCTOPUS

Part #	Description	THAI BAHT
RS131115	EVX Octopus With Yellow Hose	15,590.00

Suitable for use in diverse water temperatures, the EVX Octo delivers a smooth and reliable air source when needed. With a modern and sleek design and highly visible yellow detail, this balanced octopus is ideally suited to the EVX200 Regulator range.

 2<sup>nd</sup> stage


**COMFOBITE**  
Patented Comfobite mouthpiece reduces jaw fatigue. Secures the 2<sup>nd</sup> stage more comfortably.



**LAMINAR FLOW VALVE**  
Smoother breathe and reduced vibration.



**DOUBLE SWIVEL HOSE**  
Reduces tension on both ends of the hose to improve comfort.



**PROGRESSIVE PURGE**  
Delivers precise airflow control for purging or deploying an SMB.



**REVERSIBLE SPINDLE**  
Hose can be switched from one side of the 2<sup>nd</sup> stage to the other to suit configuration.



## AT OCTOPUS

Part #	Description	THAI BAHT
RS111113	AT20 Octopus With Yellow Hose	8,190.00

The AT Octopus is a great match for the AT regulator. It provides the same features and performance as the AT 2<sup>nd</sup> stage but comes with a high visibility yellow front cover and a 36" yellow hose. It is designed for water temperatures above 50° F (10° C)

2<sup>nd</sup> stage

**COMFOBITE**  
Patented Comfobite mouthpiece reduces jaw fatigue. Secures the 2<sup>nd</sup> stage more comfortably.

**VENTURI LEVER**  
Disrupts the airflow inside the 2<sup>nd</sup> stage to prevent accidental free flows at the surface.



## ATX OCTOPUS

Part #	Description	THAI BAHT
RS112114	ATX40 Octopus With Yellow Hose	10,790.00

The ATX Octopus is a great match for the ATX regulator. It provides the same features and performance as the ATX 2<sup>nd</sup> stage but comes with a high visibility yellow front cover and a 36" yellow hose. It is designed for water temperatures below 50° F (10° C)

2<sup>nd</sup> stage

**COMFOBITE**  
Patented Comfobite mouthpiece reduces jaw fatigue. Secures the 2<sup>nd</sup> stage more comfortably.

**VENTURI LEVER**  
Disrupts the airflow inside the 2<sup>nd</sup> stage to prevent accidental free flows at the surface.



## EGRESS OCTOPUS

Part #	Description	THAI BAHT
RS113114	Egress Octopus With Yellow Hose	11,690.00

Innovative, low profile design minimises drag. The pneumatically balanced valve provides superior performance for an alternate air source, making it a perfect complement to the high performing Apeks regulators.

### FEATURES

Unique 12° angle between the mouthpiece and the hose, which is ideal for sharing air with your buddy.

Breathes smoothly when positioned right side up or upside down.

High visibility 36" yellow hose distinguishes your Egress hose from your primary hose and is easily spotted in the event of an out-of-air emergency.

Cold water compatible.



## STAGE-3 & STAGE-4 SETS \*

### MTX-RC/MTX-RC

MTX-RC Bag included



Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
RQ115117	AP0068CVSGREY	MTX-RC Stage 3	MTX-RC Regulator, MTX-RC Octopus (Yoke or DIN)	54,690.00
RQ115117/4-1	AP0068CVSGREY/4-1*	MTX-RC Stage 4 -1	MTX-RC Regulator, MTX-RC Octopus, Single Pressure Gauge Console	59,190.00
RQ115117/4-2	AP0068CVSGREY/4-2*	MTX-RC Stage 4 -2	MTX-RC Regulator, MTX-RC Octopus, Pressure /Depth Gauge Console	62,890.00

### MTX-R/MTX-R

MTX-R Bag included



Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
RQ115111	AAP0068	MTX-R Stage 3	MTX-R Regulator, MTX-R Octopus (Yoke or DIN)	51,490.00
RQ115111/4-1	AP0068/4-1*	MTX-R Stage 4 -1	MTX-R Regulator, MTX-R Octopus, Single Pressure Gauge Console	55,990.00
RQ115111/4-2	AP0068/4-2*	MTX-R Stage 4 -2	MTX-R Regulator, MTX-R Octopus, Pressure /Depth Gauge Console	59,690.00

### EVX200



Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
RQ138001	RQ138000	EVX 200 Stage 3	EVX200 Regulator, EVX Octopus (Yoke or DIN)	48,690.00
RQ138001/4-1	RQ138000/4-1*	EVX 200 Stage 4 -1	EVX200 Regulator, EVX Octopus, Single Pressure Gauge Console	53,190.00
RQ138001/4-2	RQ138000/4-2*	EVX 200 Stage 4 -2	EVX200 Regulator, EVX Octopus, Pressure /Depth Gauge Console	56,890.00

### EVX TUNGSTEN



Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
RQ138003	RQ138002	EVX TUNGSTEN Stage3	EVX TUNGSTEN, EVX Octopus (Yoke or DIN)	59,690.00
RQ138003/4-1	RQ138002/4-1*	EVX TUNGSTEN Stage 4 -1	EVX TUNGSTEN, EVX Octopus, Single Pressure Gauge Console	64,190.00
RQ138003/4-2	RQ138002/4-2*	EVX TUNGSTEN Stage 4 -2	EVX TUNGSTEN, EVX Octopus, Pressure /Depth Gauge Console	67,890.00

\*

"Stage 4" sets come with H.P. Rubber Hose. Addition for optional low diameter H.P. Flex Hose.

400,- Baht

DIN or YOKE Connection available



## TUNGSTEN XTX/XTX40

TO BE DISCONTINUED  
30% OFF



Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
RQ125128	AP0328F5	TUNGSTEN Stage 3	TUNGSTEN Regulator, XTX40 Octopus (Yoke or DIN)	52,490.00
RQ125128/4-1	AP0328F5/4-1*	TUNGSTEN Stage 4 -1	TUNGSTEN Regulator, XTX40 Octopus, Single Pressure Gauge Console	56,990.00
RQ125128/4-2	AP0328F5/4-2*	TUNGSTEN Stage 4 -2	TUNGSTEN Regulator, XTX40 Octopus, Pressure /Depth Gauge Console	60,690.00

## XTX200/XTX40



Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
RQ125116	AP0325F-1	XTX200 Stage 3	XTX200 Regulator, XTX40 Octopus (Yoke or DIN)	44,690.00
RQ125116/4-1	AP0325F-1/4-1*	XTX200 Stage 4 -1	XTX200 Regulator, XTX40 Octopus, Single Pressure Gauge Console	49,190.00
RQ125116/4-2	AP0325F-1/4-2*	XTX200 Stage 4 -2	XTX200 Regulator, XTX40 Octopus, Pressure /Depth Gauge Console	52,890.00

## XTX50/XTX40



Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
RQ129114	AP0317F-1	XTX50 Stage 3	XTX50 Regulator, XTX40 Octopus (Yoke or DIN)	42,790.00
RQ129114/4-1	AP0317F-1/4-1*	XTX50 Stage 4 -1	XTX50 Regulator, XTX40 Octopus, Single Pressure Gauge Console (Yoke or DIN)	47,290.00
RQ129114/4-2	AP0317F-1/4-2*	XTX50 Stage 4 -2	XTX50 Regulator, XTX40 Octopus, Pressure /Depth Gauge Console (Yoke or DIN)	50,990.00

## XL4+



Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
RT111122	RT111121	XL+ Stage 3	XL+ Regulator, XL4 Ocea Octopus (Yoke or DIN)	41,290.00
RT111122/4-1	RT111121/4-1	XL+ Stage 4 -1	XL+ Regulator, XL4 Ocea Octopus, Single Pressure Gauge Console (Yoke or DIN)	45,790.00
RT111122/4-2	RT111121/4-2	XL+ Stage 4 -2	XL+ Regulator, XL4 Ocea Octopus, Pressure /Depth Gauge Console (Yoke or DIN)	49,490.00

## XL4 OCEA MINT



Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
RQ117115		XL4 Ocea Stage 3	XL4 Ocea Regulator, XL4 Ocea Octopus	42,490.00
RG117115/4-1		XL4 Ocea Stage 4 -1	XL4 Ocea Regulator, XL4 Ocea Octopus, Single Pressure Gauge Console	46,990.00
RG117115/4-2		XL4 Ocea Stage 4 -2	XL4 Ocea Regulator, XL4 Ocea Octopus, Pressure /Depth Gauge Console	50,690.00

## XL4 OCEA GREY



Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
RQ117116		XL4 Ocea Stage 3	XL4 Ocea Regulator, XL4 Ocea Octopus	42,490.00
RG117116/4-1		XL4 Ocea Stage 4 -1	XL4 Ocea Regulator, XL4 Ocea Octopus, Single Pressure Gauge Console	46,990.00
RG117116/4-2		XL4 Ocea Stage 4 -2	XL4 Ocea Regulator, XL4 Ocea Octopus, Pressure /Depth Gauge Console	50,690.00

## XTX40/XTX40



Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
RQ128116	AP0314F-1/DS4	XTX40 Stage 3	XTX40 Regulator, XTX40 Octopus (Yoke or DIN)	34,990.00
RQ128116/4-1	AP0314F-1/4-1*	XTX40 Stage 4 -1	XTX40 Regulator, XTX40 Octopus, Single Pressure Gauge Console (Yoke or DIN)	39,490.00
RQ128116/4-2	AP0314F-1/4-2*	XTX40 Stage 4 -2	XTX40 Regulator, XTX40 Octopus, Pressure /Depth Gauge Console (Yoke or DIN)	43,190.00

## ATX40/ATX40



Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
RQ112112	AP0589C-1/DS4	ATX40 Stage 3	ATX40 Regulator, XTX40 Octopus (Yoke or DIN)	29,790.00
RQ112112/4-1	AP0589C-1/DS4/4-1*	ATX40 Stage 4 -1	ATX40 Regulator, XTX40 Octopus, Single Pressure Gauge Console (Yoke or DIN)	34,290.00
RQ112112/4-2	AP0589C-1/DS4/4-2*	ATX40 Stage 4 -2	ATX40 Regulator, XTX40 Octopus, Pressure /Depth Gauge Console (Yoke or DIN)	37,990.00

## AT20/AT20



Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
RQ111112	AP0588C-1/US4	AT20 Stage 3	AT20 Regulator, AT20 Octopus (Yoke or DIN)	24,690.00
RQ111112/4-1	AP0588C-1/US4/4-1*	AT20 Stage 4 -1	AT20 Regulator, AT20 Octopus, Single Pressure Gauge Console (Yoke or DIN)	29,190.00
RQ111112/4-2	AP0588C-1/US4/4-2*	AT20 Stage 4 -2	AT20 Regulator, AT20 Octopus, Pressure /Depth Gauge Console (Yoke or DIN)	32,890.00


## CONFIGURING YOUR KIT

We know that each diver is different and that no two divers require exactly the same kit configuration. The WTX and WTX-D series allows you to put your equipment together your way, taking items from the range and mixing and matching them to create a rig that's all yours. Here are just some of the options:

### PICK YOUR HARNESS



### PICK YOUR BACKPLATE



### SELECT YOUR WING



### CHOOSE YOUR ACCESSORIES



## WTX & WTX-D SERIES

The WTX and WTX-D Series is a selection of harnesses, buoyancy cells and accessories which offer unparalleled versatility due to the modular nature of the whole system. Each component can be configured into a highly technical rig for those trained to push the limits, or scaled down to make a travel friendly set up suitable for any diver.

### SINGLE DONUT WINGS

Single cylinder wings, often referred to as donuts, are oval shaped air cells or bladders that are not permanently attached to a harness. While single cylinder wings have their origins in the realm of technical diving, they are becoming very popular in the recreational community. Not only are these single cylinder wings streamlined, but due to their shape being a continuous loop, they are very stable underwater. There is no dramatic shift of air from left to right.

Apeks single cylinder wings are a smart design that allows a cylinder to nest deep inside them. These wings mate up nicely to the rest of the Apeks WTX collection of high quality harnesses, plates and accessories. They can be configured in multiple ways to match the type of diving that you do. As with the rest of the WTX collection, these single cylinder wings are built from the finest quality materials. They are designed by Apeks and built in our own factory.

## WTX-D18

Part #	Description	THAI BAHT
BT115122	WTX-D18	21,690.00

#### FEATURES

- 18 / 80 (lbs / N) lift.
- Inflator - K style with brass buttons:
  - Low profile oval-shaped hose.
  - Safety cable to prevent hyper-extension.
  - Positioned off-centre so as to not interfere with 1<sup>st</sup> stage.
- Dump Valve:
  - Low profile flat valve.
  - Positioned in front, lower-left side.
  - Tank stabiliser bars.
- Drains:
  - 2 large drain grommets.
  - Centre mesh drain panel.



## WTX-D30

Part #	Description	THAI BAHT
BT115123	WTX-D30	23,090.00

#### FEATURES

- 32 / 142 (lbs / N) lift.
- Inflator - K style with brass buttons:
  - Low profile oval-shaped hose.
  - Safety cable to prevent hyper-extension.
  - Positioned off-centre so as to not interfere with 1<sup>st</sup> stage.
- Dump Valve:
  - Low profile flat valve.
  - Positioned in front, lower-left side.
  - Tank stabiliser bars.
- Drains:
  - 2 large drain grommets.
  - Centre mesh drain panel.



## WTX-D40

Part #	Description	THAI BAHT
BT115124	WTX-D40	23,090.00

### FEATURES

- 40 / 178 (lbs / N) lift.
- Inflator - K style with brass buttons:
- Low profile oval-shaped hose.
- Safety cable to prevent hyper-extension.
- Positioned off-centre so as to not interfere with 1<sup>st</sup> stage.
- Dump Valve:
- Low profile flat valve.
- Positioned in front, lower-left side.
- Tank stabiliser bars.
- Drains:
- 2 large drain grommets.
- Centre mesh drain panel.



## PSD SINGLE CYLINDER WINGS

Designed for Public Safety divers (PSD) but a very practical and attractive option for all styles of diving, these 30 and 40 lb single cylinder wings boast all of the same features as the 30 and 40 lb single tank wings but are constructed from an Armoguard slick skin. This fast drying material is more abrasion resistant than traditional Cordura® and due to its slick nature it rinses easily and even if it is stored while damp it doesn't pick up bacterial growth or odours.

## WTX-D30 PSD

### FEATURES

- 32 / 142 (lbs / N) lift
- Inflator - K style with brass buttons:
- Low profile oval-shaped hose.
- Safety cable to prevent hyper-extension.
- Positioned off-centre so as to not interfere with 1<sup>st</sup> stage.
- Dump Valve:
- Low profile flat valve.
- Positioned in front, lower-left side.
- Tank stabiliser bars.
- Drains:
- 2 large drain grommets.
- Centre mesh drain panel.
- Weight - 1.6kg.



Part #	Description	THAI BAHT
BT115125	WTX-D30 PSD	23,290.00
BT115126	WTX-D40 PSD	24,090.00

## WTX-D40 PSD

### FEATURES

- 40 / 178 (lbs / N) lift.
- Inflator - K style with brass buttons:
- Low profile oval-shaped hose.
- Safety cable to prevent hyper-extension.
- Positioned off-centre so as to not interfere with 1<sup>st</sup> stage.
- Dump Valve:
- Low profile flat valve.
- Positioned in front, lower-left side.
- Tank stabiliser bars.
- Drains:
- 2 large drain grommets.
- Centre mesh drain panel.
- Weight - 1.9kg



## WTX-D60R

Part #	Description	THAI BAHT
BT115127	WTX-D60R	32,490.00

### 60 lbs lift

- This redundant system contains two inner cells in one outer bag. Either cell is capable of generating 60 lbs of lift when it is full. Dive with peace of mind knowing that you're carrying a redundant system.

### Two inflators - K style with brass buttons

- Low profile oval-shaped hose.
- Safety cable to prevent hyper- extension.
- Positioned off-centre so as to not interfere with 1st stage.

### Dump Valve

- Low profile flat valve.
- Positioned in front, lower-left side.
- Tank stabilizer bars.

### Drains

- 2 large drain grommets.
- Centre mesh drain panel.



## WTX-D40T

Part #	Description	THAI BAHT
BT1270101	WTX-D40T	23,890.00

### FEATURES

- 40lb doughnut shaped wing made from 1000D Armorshield Cordura.
- New oval shape wing design distributes the buoyancy more evenly around the profile of the wing.
- Curved sides prevent air migration ensuring maximum stability in the water.
- High profile dump valve placed in the optimum position allows air to be dumped quickly and easily without breaking trim.
- Foldable centre section allows for easy packability for travelling.
- 2 large drain grommets and centre position mesh drain panel.
- Embroidered branding.
- Inner air cell: 22mil (.022) thick black urethane.
- Zipper: heavy duty YKK #10 plastic zip and slide.



## WTX HARNESS

Part #	Description	Sizes	THAI BAHT
BT1210101S	Apeks WTX Harness	Small	21,790.00
BT1210101M	Apeks WTX Harness	Medium	21,790.00
BT1210101L	Apeks WTX Harness	Large	21,790.00
BT1210101XL	Apeks WTX Harness	X-Large	21,790.00

This is our most versatile harness. Solid construction coupled with durable materials make this harness a cornerstone for many applications.

### FEATURES

- Can mount directly to a single cylinder using dual nylon cylinder bands or a single tank adaptor.
- Can accept an Apeks back plate for heavy loads such as twin steel cylinders.
- Multiple grommet settings on the waistband allow the attachment of the SureLock™ weight system.
- Open shoulder design allows diver to add or remove hardware for total customisation.
- Made from rugged 1050D Ballistic Nylon.
- Removable crotch strap made of 2" (5cm) soft webbing.
- 6-two inch stainless steel D-rings (2, angled, on shoulders, 2 on the hips and 2 on the crotch strap).
- 6-one inch stainless steel D-rings along the sides accommodate light canisters, argon bottles or other accessories.
- 2-one inch stainless steel D-rings along the lower back are for marker buoys, reels or other accessories.
- Removable backpad.
- Heavy-duty waist buckle made of stainless steel.
- Stainless steel triloaders distribute the load between the back, waist and shoulders for a great fit.
- SOLAS reflector airway hold-downs can be removed or repositioned.
- Chest strap comes standard, includes 2ea. tank bands.



## DELUXE WEBBED HARNESS

Part #	Description	THAI BAHT
BT1350110	Deluxe Webbed Harness	8,090.00

This simple, yet strong, harness can take the load of a fully rigged technical diver and can be easily customised with the hardware of your choice. Please note that the back plate is not included and must be purchased separately. Your back plate options for this harness are the WTX Aluminium Back Plate, the WTX Stainless Steel Back Plate and the Ultralight Travel Plate. Tank bands are also not included.

### FEATURES

- 12ft. of solid 2" (5cm) webbing with centre grommet.
- 2" (5cm) wide crotch strap.
- 6 stainless 2" (5cm) D-rings.
- Includes neoprene shoulder protectors.
- 2 elastic retaining loops on shoulders and one on crotch strap.
- Heavy duty stainless waist buckle.
- 6 stainless steel serrated retainers.



## APEKS BACKPLATE

Part #	Description	THAI BAHT
BT115113	Apeks Backplate, Stainless Steel	9,190.00
BT115112	Apeks Backplate, Aluminum	10,990.00

The backbone of any system - this cleverly designed back plate can be used with the Apeks Deluxe One-piece Webbed Harness, or inserted directly into the WTX Harness. It is available both in stainless steel and aluminium.

### FEATURES

Offered in either 304 stainless steel or 6061 anodized aluminum alloy.

The stainless steel weighs 4.7 lbs (2.15 kg).

The aluminum weighs 1.7lbs (780g).


4 each upper and lower slots accommodate nylon cylinder bands so a single cylinder can be strapped directly to the plate. Having a series of 4 slots provides lateral stability of the cylinder that traditional 2 slot plates cannot.

3 holes at the top of the plate offer a range of height adjustments for the buoyancy cells and the cylinders. In addition, a corresponding lower centre slot allows for lower band bolts that are misaligned.

2" wide crotch strap slot.

Upper and lower perimeter holes along either side and holes along the bottom allow for the mounting of accessories.

Both offer an electro-plate finish and a laser-etched Apeks logo to enhance the look of the plate.



## ULTRALIGHT TRAVEL PLATE

Part #	Description	THAI BAHT
BT115114	Ultralight Travel Plate	6,140.00

The Ultralight Travel Plate is for the diver who enjoys diving back plate and wings but doesn't want the weight that a traditional metal plate has. Paired with the WTX-D18 donut wing, it makes a very lightweight, streamlined piece of kit and can accept the SureLock Weight System when used with the SureLock attachment plates. Requires the Deluxe One-Piece Webbed Harness.



## WSX-25 & 45

The WAS-25 as well as the larger WSX-45

The Apeks WSX-45 Sidemount harness comes complete with the bladder, harness with crotch strap, D-rings, bungee and accessory butt pack.

The bladder is constructed from Armoguard™, a supertough

material normally found in public safety diving and military products. This smooth material is ten times more abrasion resistant than standard Cordura™ (the material used on many other sidemount harness bladders), making this a wing designed with serious sidemount diving in mind.

The Apeks "SlideLock" sliding D-ring is unique to Apeks. It allows the diver to easily change

the position of the cylinders as their buoyancy changes during the dive. No need to clip your cylinder on and off, simply adjust the position of the D-ring during your dive.

The two-piece plate system is adjustable to any torso length, making this a one size fits all harness. The WSX has individual webbing sections rather than one long piece running through the harness, which allows the complete system to be quickly and easily adjusted.

### FEATURES

#### BLADDER:

WSX-25(25lbs) lift / WSX-45(45lbs) lift.

Armoguard protects the bladder against abrasions in confined spaces.

Reversible inflator can be mounted on left side, right side or the upper left shoulder.

Grommets at lower corners allow for mounting bungee to keep the bladder streamlined to your body.

#### HARNES:

Solid 5cm (2") webbing comes pre-assembled.

Removable crotch strap made of 2" (5cm) soft webbing.

4x 5cm (2") stainless steel D-rings (2 angled on shoulders, 1 angled and 1 flat on the crotch strap).

2x "SlideLock" sliding stainless steel D-rings on waist strap allow for easy adjustment of cylinders throughout the dive.

2x stainless steel drop D-rings along the lower back are for connection to the included butt pack, or for marker buoys, reels or other accessories.

Heavy-duty stainless steel waist buckle.

Two-piece stainless steel plate allows the torso length to be adjusted to fit any diver.

Zippered Butt Pack with stainless steel snap hooks included.

Weight pouches are mounted on the spine strap.

Comes complete with two sizes of bungee and five stainless steel bolt snaps.

Two grommet strips allow the diver to adjust the weight pouch and bladder based on their specific requirements.

Additional trim pockets available separately.



Part #	Description	Sizes	THAI BAHT
BT114125	WSX-25 Sidemount System	Adjustable Size	35,890.00
BT114126	WSX-45 Sidemount System	Adjustable Size	37,690.00
BT114111	WSX-25 Primary Bladder only	25lbs lift	13,090.00
BT114121	WSX-45 Primary Bladder only	45lbs lift	14,290.00
BT114122	WSX-25 Redundant bladder	25lbs lift	11,090.00
BT114123	WSX-45 Redundant bladder	45lbs lift	11,490.00



# EXOTEC S

The Exotec-S provides exceptional comfort both in and out of the water. With an articulated backplate that pivots at the waist and works with your body, you'll experience more freedom of movement, maximizing comfort during your dive. Customizable across all sizes, a perfect fit can be achieved, resulting in less drag and increased energy efficiency.



**BIOREACT**  
BioReact articulating waist system for maximum comfort and freedom of movement allows the BCD to move as you move.



**PSD PSD TECHNOLOGY**  
The bladder is made from the same Armourguard fabric that we use on our Public Safety Diver products. It is extremely durable and does not absorb water.



**WRAPTURE™**  
The Wrapture harness systems works in harmony with the BioReact waist. This allows you to walk upright when out of the water with the cylinder weight distributed evenly on your hips.



**MODULAR**  
The EXOTEC is designed to be repaired and not replaced. All of the components and straps are modular and can be easily changed.



**GRIPTEK**  
GripTek fabric keeps the BCD in place both on the surface and underwater.



**G-HOOK**  
The G-Hook system allows for 1 handed opening and closing of the chest strap.



**CUSTOM FIT**  
Multiple adjustments allow you to customize the fit of the BCD.




**OCTO POCKET**  
Dedicated sleeve allows you to store your alternate air source within a visible area without the need for extra clips.



**GAUGE HOLDER**  
Easy to access gauge sleeve allows for hands free reading of your instruments.

## BCD's

Part #	Description	Sizes	THAI BAHT	Part #	Description	Sizes	THAI BAHT
BT1420108SM	EXOTEC S,BC,Orange	S/M	46,190.00	BT1420110SM	EXOTEC S,BC,Grey	S/M	46,190.00
BT1420108ML	EXOTEC S,BC,Orange	M/L	46,190.00	BT1420110ML	EXOTEC S,BC,Grey	M/L	46,190.00
BT1420108XL2XL	EXOTEC S,BC,Orange	XL/XL	46,190.00	BT1420110XL2XL	EXOTEC S,BC,Grey	XL/XL	46,190.00





# EXOTEC

The Apeks Exotec BCD is a revolution in diving comfort, functionality and seductive engineering design. The ethos behind Exotec is the synthesis of equipment and diver. Created to fit like no other BCD and flow with the natural movement of the diver's body, through the innovative BioReact articulation. Constructed with the usual, exacting Apeks build quality, the Exotec is a paradigm of form and function.



**BIOREACT**  
BioReact articulating waist system for maximum comfort and freedom of movement allows the BCD to move as you move.



**PSD PSD TECHNOLOGY**  
The bladder is made from the same Armourguard fabric that we use on our Public Safety Diver products. It is extremely durable and does not absorb water.



**WRAPTURE™**  
The Wrapture harness systems works in harmony with the BioReact waist. This allows you to walk upright when out of the water with the cylinder weight distributed evenly on your hips.



**MODULAR**  
The EXOTEC is designed to be repaired and not replaced. All of the components and straps are modular and can be easily changed.



**GRIPTEK**  
GripTek fabric keeps the BCD in place both on the surface and underwater.



**G-HOOK**  
The G-Hook system allows for 1 handed opening and closing of the chest strap.



**CUSTOM FIT**  
Multiple adjustments allow you to customize the fit of the BCD.

## BCD's

Part #	Description	Sizes	THAI BAHT
BT1380108XSS	EXOTEC,BC,Orange	XS/S	43,690.00
BT1380108SM	EXOTEC,BC,Orange	S/M	43,690.00
BT1380108ML	EXOTEC,BC,Orange	M/L	43,690.00
BT1380108LXXL	EXOTEC,BC,Orange	XL/XL	43,690.00

Part #	Description	Sizes	THAI BAHT
BT1380110XSS	EXOTEC,BC,Grey	XS/S	43,690.00
BT1380110SM	EXOTEC,BC,Grey	S/M	43,690.00
BT1380110ML	EXOTEC,BC,Grey	M/L	43,690.00
BT1380110LXXL	EXOTEC,BC,Grey	XL/XL	43,690.00



## EXOTEC TWIN CYLINDER KIT

The EXOTEC Twin Cylinder Kit is the perfect solution for those who want to increase their gas capacity and make longer or deeper dives. Specifically designed for use with the Apeks EXOTEC BCD, the kit enables you to secure twin cylinders to your BCD.

**KIT INCLUDES:**

- GripLock tank band
- Trim strap
- Rubber protection patch
- User instructions

Part #	Description	THAI BAHT
BT1430110UV	EXOTEC TWINCYLINDER KIT GREY	4,490.00



## EXOTEC BCD SIZE CHART

	XS/S	SM/MD	ML/LG	XL/XXL
HEIGHT	4'9"-5'6" (152cm - 170cm)	5'4"-5'11" (162cm - 180cm)	5'9"-6'3" (175cm - 190cm)	6'0"-6'7" (182cm - 200cm)
WEIGHT	100-155lb (45 - 70kg)	145-210lb (65 - 95kg)	175-235lb (79 - 106kg)	195-275lb (88 - 125kg)
WAIST RANGE	31-51" (78 - 130cm)	35-55" (89 - 140cm)	39-59" (99 - 150cm)	43-63" (110 - 160cm)
OVER THE SHOULDER	38-48" (96 - 122cm)	38-48" (96 - 122cm)	42-52" (106 - 132cm)	42-52" (106 - 132cm)
TOTAL WEIGHT CAPACITY	30lb (13.5kg)	40lb (18kg)	40lb (18kg)	40lb (18kg)
RELEASABLE WEIGHT	20lb (9kg)	20lb (9kg)	20lb (9kg)	20lb (9kg)
NON-RELEASABLE WEIGHT	10lb (4.5kg)	20lb (9kg)	20lb (9kg)	20lb (9kg)
LIFT IN NEWTONS	210N	220N	210N	200N



## DSX

The new Apeks DSX technical dive computer is the latest in wearable technology for the serious technical diver, or the diver just looking for the finest instrument on the market, to take them to the next level. Robust as only Apeks knows how, and fully loaded with cutting edge features, including sidemount and CCR mode, induction or cable charging and management of up to 6 gasses. The DSX is primed and ready to take you on your next adventure.



**AMBIENT LIGHT SENSOR**  
Ambient light sensor automatically adjusts the screen brightness to conserve the battery life.



**VIBRATION ALARMS**  
Vibration alarms are a discrete reminder to switch sidemount tanks or gasses.



**BLUETOOTH 5.0™**  
Fast connectivity to the diverlog app and wireless updates.



**GAS ANALYSER**  
Integrated analysis software and module allow you to set gasses directly into the unit.



**INDUCTION CHARGING**  
Cable free charging using the supplied induction charging mat.



**GPS™**  
Navigate back to your surface entry point or mark a position on the surface.

Part #	Description	THAI BAHT
NS158000	Apeks DSX	49,990.00
NS119115	Apeks Transmitter - O2 Clean	13,990.00



## TEK GAUGE

Part #	Description	THAI BAHT
NS131138	Tech Pressure Gauge (Module Only)	4,890.00

The Apeks TEK gauge is a high quality chrome plated Submersible Pressure Gauge (SPG) with a black face to help reduce glare and to preserve night vision in low light environments.

### FEATURES

- High quality chrome plated SPG.
- Black faced SPG with luminescent numbers and hand that glows in the dark when charged with a light.
- The black face helps reduce glare and preserve night vision in low light environments i.e. inside a cave or wreck.
- 360BAR / 5000PSI scale.
- Max working pressure 300BAR/4350PSI.
- Tempered glass face.
- 520mm / 2" diameter face.



## PRESSURE GAUGE

Apeks' range of quality, accurate and stylish gauges and gauge consoles includes this compact and unique Pressure Gauge and Compass combination. The pressure (contents) gauge offers a range to 360 Bar (5000 psi).

### FEATURES

- The gauge case is made from nickel plated brass
- The dial window is made of highly shock resistant material (anti-splinter polycarbonate).
- A specially designed housing protects the gauge and HP hose fitting from accidental damage.
- A large loop area designed into the housing allows for easy attachment.
- There is an over-pressure capsule fitted in the back of the module to prevent the screen from exploding in the unlikely event of the internal mechanism failing.

Part #	Description	THAI BAHT
NS131131	Contents Gauge Console	5,490.00
NS131128	Contents Gauge Console With HP Flex Hose	5,890.00



## PRESSURE GAUGE + DEPTH GAUGE CONSOLE

Part #	Description	THAI BAHT
NS133125	Contents Gauge & Depth Gauge Console	9,490.00
NS133119	Contents Gauge & Depth Gauge Console With HP Flex Hose	9,890.00

The 2-gauge console combines a submersible pressure (contents) gauge and a depth gauge housed in a specially designed case. The unit is completed with a high pressure hose. The console clearly displays your pressure and depth readings for easy viewing under water and the dials have a long phosphorescent effect for better reading in poor visibility conditions. The submersible pressure gauge provides accurate pressure readings with a range of 360 bar (imperial available up to 5000 psi). The depth gauge reads up to 70m (imperial available to 230ft).

### FEATURES

- The gauge case is made from nickel plated brass.
- The dial window is made of highly shock resistant material (anti-splinter polycarbonate).
- A specially designed housing protects the gauge and HP hose fitting from accidental damage.
- A large loop area designed into the housing allows for easy attachment.
- There is an over-pressure capsule fitted in the back of the module to prevent the screen from exploding in the unlikely event of the internal mechanism failing.
- Dials have a long phosphorescent effect for better reading in poor visibility conditions.
- There are 2 attachment areas integrated into the design for position flexibility.
- This may be a compact design but the displays are vivid and clear - perfect for diving. For example, the depth gauge spreads the first half of the scale and in total shows a range down to 70 m.
- Depth gauge has resettable max depth indicator.



## PRESSURE GAUGE + DEPTH GAUGE CONSOLE + COMPASS

Part #	Description	THAI BAHT
NS135115	Contents Gauge & Depth Gauge Console + Compass	12,590.00
NS135121	Contents Gauge & Depth Gauge Console + Compass With HP Flex Hose	12,990.00

All instruments give accurate, clear readings and are made from the best quality materials. As such they offer perfect functionality and excellent robustness. In essence, the 2+1 instrument combo is an Apeks 2-gauge console with our unique compass on the reverse. A compact system that we believe is the best combo set available anywhere in the world.

### FEATURES

- The gauge case is made from nickel plated brass.
- The dial window is made of highly shock resistant material (anti-splinter polycarbonate).
- A specially designed housing protects the gauge and HP hose fitting from accidental damage.
- A large loop area designed into the housing allows for easy attachment.
- There is an over-pressure capsule fitted in the back of the module to prevent the screen from exploding in the unlikely event of the internal mechanism failing.
- Dials have a long phosphorescent effect for better reading in poor visibility conditions.
- There are 2 attachment areas integrated into the design for position flexibility.
- This may be a compact design but the displays are vivid and clear - perfect for diving. For example, the depth gauge spreads the first half of the scale and in total shows a range down to 70m.
- Depth gauge has resettable max depth indicator.
- The compass ratchet bezel is robust and can be rotated with ease even with thick neoprene gloves.
- The numbers and directions on the compass bezel are large and very easy to read.
- The luminous compass dial with a vivid and clear display makes quick work of compass direction even in poor visibility.



## APEKS PROFESSIONAL DIVE WATCH (MALE)

Stainless steel case with attractive contoured stainless steel bezel with positive action, and screw down winder. This watch uses a reliable Seiko movement with day and date display. Tested to 200 metres.

### Features

- Highly reliable Seiko VX42 Quartz movement.
- Easy to read luminous face and large uni-directional bezel and day/date display.
- Housed in a tough stainless steel case with screw-in crown.
- PU Polyurethane strap.
- Tested to 200 metres.



Part #	Description	THAI BAHT
NS147114	Professional Dive Watch Gents	6,990.00

## APEKS PROFESSIONAL DIVE WATCH (FEMALE)

Stainless steel case with attractive contoured stainless steel bezel with positive action, and screw down winder. This watch uses a reliable Seiko movement with date display. Tested to 200 metres.

### Features

- Highly reliable Seiko VX42 Quartz movement.
- Easy to read luminous face and large uni-directional bezel and day/date display (date only).
- Housed in a tough stainless steel case with screw-in crown.
- PU Polyurethane strap.
- Tested to 200 metres.



PART #	DESCRIPTION	THAI BAHT
NS147117	Professional Dive Watch Ladies	6,990.00



## VX2

**Lightweight and extremely durable, the VX2 mask withstands the demanding conditions of the dive environment. With superb fit and comfort, the VX2 mask molds to the face and reduces leakage. Exceptional optical performance with no distortion delivers improved visibility and superb clarity.**

### FEATURES

- Extremely durable, strong and lightweight mask with stainless steel outer frame and carbon fibre-filled inner frame.
- Increased field of vision of 13% compared to Apeks VX1 mask.
- Superb fit and comfort through a combination of matt and gloss areas on the silicone skirt.
- Users can swap out Pure Clear lenses quickly and easily.
- Easily adjustable, even when wearing dry gloves, through quick release buckles.
- Supplied with an additional neoprene mask strap for a secure and comfortable fit.
- Premium zipped EVA reusable protective case and plastic-free packaging.

Part #	Description	THAI BAHT
MS5360108	VX2 MASK	7,990.00



## VX1

**The VX1 is the ultimate in diving mask comfort. Lightweight, frameless and with a Pure Clear lens for maximum optical clarity. The VX1 - Clearly Apeks.**

### FEATURES

- The ultimate in diving mask comfort! The VX1 is lightweight, frameless and features high quality optics.
- Frameless construction provides low inner volume, exceptional comfort and lightweight.
- Matt and gloss areas on the silicone skirt enhance sealing features and improve fit and comfort.
- Pure Clear Lens provides maximum optical clarity with no distortion.
- Quick Release Buckles incorporating a stainless-steel roller allow for easy adjustment for the best fit, even while wearing dry gloves.
- Supplied with additional comfortable neoprene mask strap for a secure fit.
- Premium zipped EVA reusable protective case.
- Single use plastic free packaging.

Part #	Description	THAI BAHT
MS3941201LR	VX1 GREY Grey silicone - Pure clear lens	5,590.00
MS394111	VX1 BLACK Black silicone - Pure clear lens	5,590.00
MS394113	VX1 WHITE White silicone - Pure clear lens	5,590.00
MS3940812LR	VX1 ORANGE DK GREY Orange silicone - Pure clear lens	5,590.00
MS3941208LR	VX1 ORANGE DK GREY Grey silicone - Pure clear lens	5,590.00

Part #	Description	THAI BAHT
MS3941201LM	VX1 GREY Grey silicone - UV Cut	5,990.00
MS394112	VX1 BLACK Black silicone - UV Cut	5,990.00
MS394114	VX1 WHITE White silicone - UV Cut	5,990.00
MS3940812LM	VX1 ORANGE DK GREY Orange silicone - UV Cut	5,990.00
MS3941208LM	VX1 DK GREY ORANGE Grey silicone - UV Cut	5,990.00



## RK3

The award winning RK3 fin is renowned for outstanding performance and reliability and has fast become a firm favourite with divers. Now available in a range of new colours, the RK3 is a rugged thermoplastic rubber fin featuring an over-sized foot pocket to accommodate drysuit boots and a spring strap for easy donning and doffing. The RK3 is available in four sizes: Small, Medium, Large and Super.

We didn't give the RK3 fin a shoe size range as this can be very misleading.

The environment that an RK3 is used in will tend to dictate the size of fin that you need, for example do you dive in a warm environment wearing wetsuit boots, or are you walking across pebbled beaches and wearing a drysuit and rigid dry boots? Both forms of footwear may be a UK size 9, but will take up different amounts of space in the fin foot pocket.

### FEATURES

The design has been the standard gear issue fin for military, special ops, coast guard, and public safety divers for decades.

Short wide blade provides maximum forward thrust while maintaining great manoeuvrability.

Vented blade design reduces resistance on the upstroke and enhances thrust on the downstroke.

The vents also eliminate vortexes that can occur along the back of the blade much in the same way split fins eliminate the vortex.

The blade material is designed to hold up to the toughest environments, temperatures, and abuse.

Two large grommet holes designed to fit most carabiners for easy storage of the fins while accessing the dive site.

Spring straps as standard.

Custom designed buckle holds spring straps in optimum position.

Simple push pin design allows simple replacement of springs if necessary.

Part #	Description	Sizes	THAI BAHT
AL2480101S	APEKS RK3 FIN, BLACK	SMALL	7,290.00
AL621160	APEKS RK3 FIN, BLACK	MEDIUM	7,290.00
AL621170	APEKS RK3 FIN, BLACK	LARGE	7,290.00
AL621180	APEKS RK3 FIN, BLACK	SUPER	7,290.00
AL2480909S	APEKS RK3 FIN, WHITE	SMALL	7,290.00
AL621201	APEKS RK3 FIN, WHITE	MEDIUM	7,290.00
AL621203	APEKS RK3 FIN, WHITE	LARGE	7,290.00
AL621205	APEKS RK3 FIN, WHITE	SUPER	7,290.00

## ACCESSORIES



Part #	Description	Sizes	THAI BAHT
FA911222	SPRING STRAP (PAIR)	MEDIUM	2,990.00
FA911223	SPRING STRAP (PAIR)	LARGE	2,990.00
FA911224	SPRING STRAP (PAIR)	SUPER	2,990.00





## RK4

Conserve energy with this compact, wide-blade technical fin. Providing outstanding maneuverability in confined spaces and overhead environments, the RK4 also delivers optimum performance in open spaces. Suitable for use with both wetsuits and drysuits, the RK4 fins are perfect for frog-kicking and back-finning.

### FEATURES

Modern style technical fin that delivers the ultimate in performance. Provides exceptional manoeuvrability and allows small accurate movements in confined spaces, reducing disturbance of sand and silt. Perfect for frog-kicking. Delivers a more energy efficient dive with optimum performance on both the upstroke and downstroke. Allows quick and easy changes between settings for wetsuits and drysuits, with 2 adjustment points and stainless-steel spring straps. Reduces snag hazards with integrated stainless-steel buckles that are durable and tough. Durable and easy to recycle with one piece rubber construction. Easy to put on and take off, even when wearing gloves.

Part #	Description	Sizes	THAI BAHT
FA3780101S	APEKS RK4 FIN, BLACK	SMALL	9,490.00
FA3780101M	APEKS RK4 FIN, BLACK	MEDIUM	9,490.00
FA3780101L	APEKS RK4 FIN, BLACK	LARGE	9,490.00
FA3780101XL	APEKS RK4 FIN, BLACK	SUPER	9,490.00
FA3780901S	APEKS RK4 FIN, DARK-GREY	SMALL	9,490.00
FA3780901M	APEKS RK4 FIN, DARK-GREY	MEDIUM	9,490.00
FA3780901L	APEKS RK4 FIN, DARK-GREY	LARGE	9,490.00
FA3780901XL	APEKS RK4 FIN, DARK-GREY	SUPER	9,490.00
FA3780801S	APEKS RK4 FIN, WHITE	SMALL	9,490.00
FA3780801M	APEKS RK4 FIN, WHITE	MEDIUM	9,490.00
FA3780801L	APEKS RK4 FIN, WHITE	LARGE	9,490.00
FA3780801XL	APEKS RK4 FIN, WHITE	SUPER	9,490.00
FA3781001S	APEKS RK4 FIN, ORANGE	SUPER	9,490.00
FA3781001M	APEKS RK4 FIN, ORANGE	SMALL	9,490.00
FA3781001L	APEKS RK4 FIN, ORANGE	MEDIUM	9,490.00
FA3781001XL	APEKS RK4 FIN, ORANGE	LARGE	9,490.00





## LUNA MINI



When slicing through the dark is your primary mission, the Apeks Luna range of torches will fill you with the reassurance you need and the intensity of light you demand.

This exclusive range of British built torches sets a new standard in subaquatic illumination.

The Luna Mini is a compact torch that packs a punch. With 1000 lumens max output, three power settings offering up to 6 hours run time and a USB rechargeable battery, it ticks all the boxes for both a primary and back up torch. With a marine grade aluminium casing and available in 2 colours, this lightweight torch is perfect for life beyond diving, too.

### BENEFITS

Compact and lightweight - can be used as both a primary or back up torch.

Choose your power settings to optimise run time, low, medium or high power.

ITM (Intelligent Thermal Management) - Patented circuitry within the light reduces power to the LEDs if they go beyond the optimum temperature, keeping the light as efficient as possible to maximise output and battery capacity. Once the light has cooled, the power is automatically restored.

No need to open the torch to recharge the battery, which reduces the possibility of leaks.

Features a dedicated SOS Strobe for emergency use in or out of the water.

Supplied in an Apeks branded reusable zippered case to protect the torch during storage and travel.

Multi-use - ideal for camping trips or keeping in your car in case of emergencies.

### FEATURES

Factory sealed casing machined from anodised marine grade aluminium.

SOS strobe setting.

Supplied in a protective zippered case.

Supplied with a wrist lanyard.

Available in 2 colours - orange and grey.

Plastic free packaging.

Designed and manufactured in the UK.

Part #	Description	THAI BAHT
HG1290301	Luna Mini Torch Green 1000 Lumen	12,990.00
HG1290801	Luna Mini Torch Orange 1000 Lumen	12,990.00
HG1290501	Luna Mini Torch Purple 1000 Lumen	12,990.00
HG1291001	Luna Mini Torch Grey 1000 Lumen	12,990.00



**CONSTRUCTION****Weight:** 258g.

Marine Grade Anodised 6063 Aluminium.

**Water Resistance** IPX8 100m.**BATTERY****Battery:** 8700 mAh Lithium-Ion.**Runtime:** High 2hrs | Medium 4hrs | Low 8hrs.**Rechargeable:** Through Case USB.**Charge Time:** 4hrs.**OUTPUT****LED Configuration:** 3 x White XPL2.**Lumens:** Max 2000.

20degree Spot beam angle.

**LUNA**

When slicing through the dark is your primary mission, the Apeks Luna range of torches will fill you with the reassurance you need and the intensity of light you demand. This exclusive range of British built torches sets a new standard in subaquatic illumination.

The Luna primary light has a 2000 lumen output up to 8 hours run time off one charge. Three power output settings and a handy digital fuel gauge gives you real-time battery status feedback, including the remaining run time and percentage charged. Fully rechargeable via USB, the Luna ships with a neoprene glove handle for hands-free comfort during your dive.

**BENEFITS**

Always know your remaining burn time with our Run Time Indicator.

ITM (Intelligent Thermal Management) - Patented circuitry within the light will reduce power to the LEDs if they go beyond the optimum temperature, keeping the light as efficient as possible to maximise output and battery capacity. Once the light has cooled, the power is automatically restored.

Choose your power settings to optimise run time, low, medium or high power.

Three additional run time programmes.

Features a dedicated SOS Strobe for emergency use in or out of the water.

No need to open the torch to recharge the battery, which reduces the possibility of leaks.

The neoprene wrist attachment allows for hands free use of the torch throughout your dive.

Supplied in an Apeks branded reusable zippered case to protect the torch during storage and travel.

**FEATURES**

Factory sealed casing machined from marine grade aluminium.

Run Time Indicator.

SOS strobe.

ITM (intelligent thermal management system).

USB rechargeable - USB cable included.

Supplied with a neoprene wrist attachment system.

Available in one colour - grey.

Supplied in a protective zippered case.

Plastic free packaging.

Designed and manufactured in the UK.



Part #	Description	THAI BAHT
HG1301001	Luna Torch 2000 Lumen	25,890.00

**OUTPUT****LED Configuration:** 6 x White XPL2.**Lumens:** Max 3600.

20degree Spot beam angle.

**BATTERY****Battery:** 15500 mAh Lithium-Ion.**Runtime:** 2 - 36 Hours (depending on mode).**Rechargeable:** Through Case USB.**Charge Time:** 6hrs.**CONSTRUCTION**

Weight: 356g.

Marine Grade Anodised 6063 Aluminium.

**Water Resistance** IPX8 100m.**DIMENSIONS****Length:** 118mm.**Head Diameter:** 61mm.**LUNA ADV**

When slicing through the dark is your primary mission, the Apeks Luna range of torches will fill you with the reassurance you need and the intensity of light you demand. This exclusive range of British built torches sets a new standard in subaquatic illumination.

Setting a new standard in dive light technology, The Luna Adv is a feature rich torch for the explorer and adventurer. A huge 3600 max lumens and a run-time of up to 36 hours makes this the dive light for those serious about going further. Featuring an industry-first digital Optimised Mode Selector, various pre-set programmes in the lights can be selected before your dive. The programmes offer a choice of run times and modes, so you can find the right one for your dive, be it a cave exploration or an intense night dive blast.

The Luna Adv is supplied with a Goodman handle for hands-free diving. Up to two torches can be mounted on the handle, or one torch and an underwater action camera. Even better, the Luna Adv is fully rechargeable via USB.

**BENEFITS**

6 pre-set dive programmes offering a variety of run times and power settings for complete control during the different stages of your dive.

Choose your power settings to optimise run time, low, medium or high power.

LED display panel for instant, real-time information on which mode the light is in and runtime remaining in hours and minutes.

ITM (Intelligent Thermal Management) - Patented circuitry within the light will reduce power to the LEDs if they go beyond the optimum temperature, keeping the light as efficient as possible to maximise output and battery capacity. Once the light has cooled, the power is automatically restored.

A Goodman style handle allows for the attachment of multiple torches or a single torch and an action camera.

No need to open the torch to recharge the battery, which reduces the possibility of leaks.

Supplied in an Apeks branded reusable zippered case to protect the torch during storage and travel.

Features a dedicated SOS Strobe for emergency use in or out of the water.

**FEATURES**

Optimiser Mode Selector.

LED display.

Factory sealed casing machined from marine grade aluminium.

Protective zippered case.

SOS strobe.

Supplied with a Goodman style handle, USB charging cable and international plug adaptors.

Plastic free packaging.

Designed and manufactured in the UK.

Part #	Description	THAI BAHT
HG1311001	Luna Adv Torch Primary 3600 Lumen	34,990.00



## LUNA X UMBILICAL TORCH

The Luna-X is perfect for communicating underwater or for illuminating wide areas, whilst reducing backscatter in murky water. Corrosion-resistant and able to withstand harsh dive environments, the torch is both lightweight and strong. Flexible in use, the Luna-X can be attached to BCD, cylinder or rotated for use on sidemount applications.



**INTELLIGENT THERMAL MANAGEMENT**  
Patented circuitry within the light will reduce power to the LEDs if they go beyond the optimum temperature, keeping the light as efficient as possible to maximise output and battery capacity.



**FUEL GAUGE**  
LED display panel for instant, real-time information on runtime remaining in hours and minutes.



**SUITABLE FOR AIR TRAVEL**  
Battery size is under the maximum allowed by airlines - it also meets the requirement to be able to detach the light head for air travel.



**DUAL BEAM MODES**  
2 different types of beam allow you to choose the best for the dive environment. Use flood mode or spot mode or both combined.

Part #	Description	THAI BAHT
HG1381008	LUNA X TORCH	67,190.00

## BUNGEE MOUNT COMPASS

The Apeks Bungee Compass is a wrist mounted compass. An elasticated strap will hold it securely in place even when your wetsuit or drysuit compresses at depth.

Part #	Description	THAI BAHT
NS127111	Bungee Mount Compass	4,190.00





# TECH SHORT SIZE CHART

		XXXS	XXS	XS	S	M	ML	L	XL	XXL
WAIST	in	27.1 - 29.9	29.1 - 31.8	31.1 - 33.8	33 - 35.8	34.6 - 37.4	36.2 - 39	37.8 - 40.5	39.4 - 42.1	40.9 - 43.7
	cm	69 - 76	74 - 81	79 - 86	84 - 91	88 - 95	92 - 99	96 - 103	100 - 107	104 - 111
THIGH	in	19 - 19.8	19.8 - 20.6	20.6 - 21.4	21.4 - 22.2	22.2 - 23	23.4 - 24.2	24.6 - 25.4	25.8 - 26.6	27 - 27.8
	cm	48.5 - 50.5	50.5 - 52.5	52.5 - 54.5	54.5 - 56.5	56.5 - 58.5	59.5 - 61.5	62.5 - 64.5	65.5 - 67.5	68.5 - 70.5
LEG OPENING	in	13.7 - 14.5	14.5 - 15.3	15.4 - 16.1	16.1 - 16.9	16.9 - 17.7	18.1 - 18.9	19.3 - 20	20.5 - 21.3	21.7 - 22.4
	cm	35 - 37	37 - 39	39 - 41	41 - 43	43 - 45	46 - 48	49 - 51	52 - 54	55 - 57
IN SEAM	in	8.8	8.8	9.3	9.3	9.6	10	10.4	10.8	11.2
	cm	22.5	22.5	23.5	23.5	24.5	25.5	26.5	27.5	28.5



## TECH SHORT

The Apeks Tech Shorts are a fantastic addition to your thermal protection when extra storage and increased durability is required. These tough neoprene shorts are full of features to enhance your in-water experience and give you the flexibility to carry your extra dive gear. Pair with our Carbon Core rash guard for a complete warm water dive solution.

### BENEFITS

- 3mm compressed neoprene makes the shorts comfortable and durable.
- Large drysuit style pocket to allow you to store items such as wetnotes, backup mask and spools.
- Integrated grip bars in the pocket flaps make them easy to open and close while wearing gloves.
- Internal bungee loops inside the pockets lets you clip off all of your back up equipment.
- Pockets incorporate a zip on the flap for storing small items such as bolt snaps and spares.
- Liquid fusion seams improve integrity and durability of the seams.
- Protective rubber logo prints reduce damage caused by friction while providing grip when sitting on a RIB.
- Easy adjustable waist band with two hook and loop flaps and adjustable strap with a quick release buckle.
- Made from eco-neoprene

### SIZING

Unisex: 3XS, 2XS, XS, S, MD, L, XL, 2XL

Part #	Description	Sizes	THAI BAHT
SU81701013XS	Tech Shorts	3XS	7,290.00
SU81701012XS	Tech Shorts	2XS	7,290.00
SU8170101XS	Tech Shorts	XS	7,290.00
SU8170101S	Tech Shorts	S	7,290.00
SU8170101M	Tech Shorts	M	7,290.00
SU8170101L	Tech Shorts	L	7,290.00
SU8170101XL	Tech Shorts	XL	7,290.00



## DRY12L SINGLE CORE FOR WET OR DRY

### STORAGE

The DRY12's main function is to modularly attach to the Apeks DRY100 & DRY60. The four stainless steel carabiners on the DRY12 latch to the four stainless steel D-rings over the Apeks logo on the side of the DRY100. When attached, the waterproof roll-top opening on the DRY12 is conveniently located and easily accessible.

#### FEATURES & BENEFITS

The main material is a 1000D Nylon Core 0.6mm Tarpaulin. It's designed to be rugged and to protect your gear from the most extreme environments.

The webbing is 1" (2.5cm) pp nylon with MOLLE straps for attaching small pouches and accessories.

The tribuckles and carabiners are stainless steel with a metallic black coating.

The ends of the adjustable straps are designed to weave in and out of the tribuckles easily. This is a fail safe system in case the carabiners gets damaged.

The buckle is a Duraflex buckle.



Part #	Description	Colours	THAI BAHT
1003424	APEKS DRY 12L	black	2,990.00

## DRY INNER BAG

The DRY75's inner bag is also available for purchase separately.

Part #	Description	Colours	THAI BAHT
1003425	APEKS DRY INNER BAG	Grey	1,990.00



## REGULATOR BAG

The Apeks Regulator Bag is a large padded regulator bag with enough space to hold a complete sidemount or twinset regulator configuration.

Part #	Description	Includes	THAI BAHT
BA116112	Regulator Bag	Shoulder Strap	1,890.00





### LIFELINE ASCEND



A reel like no other, the Apeks Lifeline Ascend takes the humble SMB reel to the next level of quality and functionality. Designed and built in the UK, the Lifeline Ascend exemplifies what Apeks has become renowned for, giving the diver the finest equipment to take on their next adventure.

Designed to make deploying your delayed surface marker buoy a breeze, the 30 and 60 meter Apeks Lifeline Ascend is the finest reel on the market. And it doesn't just look good, it plays good. Designed to be used both left and right-handed, the Lifeline Ascend is simple and smooth to operate, even if you're wearing thick gloves. From the easy grip rubber handle to the secure stainless-steel attachment points, the Lifeline Ascend sets a new standard in dive reels.

#### BENEFITS

- Integrated SMB attachment point allows for easy storage and deployment of the Apeks SMB.
- High grip rubber handle makes the reel easy to hold with or without gloves.
- User changeable configuration allows the reel to be easily switched from left or right handed configurations depending on your preference.
- 30 metres of high tensile strength and high visibility line is both extremely strong and visible in low light conditions.
- The stainless steel attachment point allows for secure attachment of the reel to a D-ring, BCD or pocket.

#### FEATURES

- Forged and anodised aluminium handle components.
- High grip rubber handle.
- 30 and 60 meter available
- Integrated SMB attachment system.
- Stainless steel attachment point.
- User changeable from left to right hand configurations.
- Supplied in plastic free packaging.
- Lifetime warranty (excluding line)
- Designed and manufactured in the UK.

Part #	Description	THAI BAHT
RE126001	Lifeline Ascend Reel 60m Purple	12,190.00
RE126008	Lifeline Ascend Reel 60m Green	12,190.00
RE126009	Lifeline Ascend Reel 60m Grey	12,190.00
RE126010	Lifeline Ascend Reel 30m Orange	10,590.00
RE126011	Lifeline Ascend Reel 30m Purple	10,590.00





## LIFELINE GUIDE



Strong Line High Visibility Line Super Grip Handle Left and Right Handed 120M Line

Leading the way in every sense, the Apeks Lifeline Guide reel raises the bar in expedition focused diving equipment. This British built piece of fine engineering will take you to, and bring you back, from your next adventure.

Whatever your overhead environment, your guideline reel is one of the most important parts of your kit. Invest in an Apeks LifeLine Guide and you'll have one of the finest reels on the market. It doesn't just look good, it plays good. Designed to be used both left and right-handed, the Lifeline Guide is simple to operate, even if you're wearing thick gloves. From the easy grip rubber handle to the over-sized locking screw, our reel allows you to concentrate on your dive.


### BENEFITS

- High grip rubber handle makes the reel easy to hold with or without gloves.
- High tensile strength and high visibility line is both extremely strong and visible in low light conditions.
- The stainless-steel attachment point allows for secure attachment of the reel to a D-ring, BCD or pocket.
- Ambidextrous configuration allows the reel to be used in both left and right hands at the same time as a torch.
- Oversized locking screw is easy to operate with or without gloves.
- Textured friction plate allows you to manually add tension to the spool when laying line.

### FEATURES

- 120M of high strength high visibility line.
- Oversized locking screw.
- High grip rubber handle.
- Stainless steel attachment point.
- Supplied in plastic free packaging.
- Lifetime warranty (excluding line)
- Forged and anodised aluminium handle components.
- Designed and manufactured in the UK.

Part #	Description	THAI BAHT
RE126014	Guide Reel 120m Green	12,690.00
RE126016	Guide Reel 120m Purple	12,690.00





## LIFELINE HALO

The Halo spool is the latest addition to the Apeks Lifeline Spool family and is a true innovation in the diving market. With 30m of line, the large diameter of the Halo fits perfectly in the hand and allows simple, controlled deployment of the SMB, and rapid line retrieval, even when wearing thick gloves.

### FEATURES

- High quality, high visibility line.
- Rugged construction.
- Line swivel to prevent line entanglement and twisting when deploying an SMB.
- Machined from one piece of aircraft grade aluminium.
- Anodised coating.
- Spool is not over-wound, enabling additional line to be added if required.
- Includes stainless steel bolt snap.
- Designed and manufactured in the UK.
- Line is sewn instead of tied to increase strength.
- Orange line, best for low light conditions.
- Easy-release pull tabs.

Part #	Description	THAI BAHT
RE126018	Lifeline Halo	7,390.00

## LIFELINE SPOOLS

Much copied but never bettered, we have built on the phenomenal success of the original Apeks Lifeline Spool with an updated model for 2022. With improved ergonomics and functionality, and a reduced weight, the 2022 Lifeline spool is leading the way once more. Inspired by technical diving and versatile enough to be used in a range of diving applications, the LifeLine spool features easy to grip flared sides and a new rubber outer grip to improve deployment and winding. Made from tough anodised aluminium alloy with high visibility line for low light conditions and with a super tough leader and swivel as standard, the Lifeline comes in four sizes and colours and is complemented by a range of line markers and cookies.

### FEATURES

- Unique flared design to allow ease of winding whilst wearing gloves
- Rubber outer grip makes the spools easier to hold while wearing gloves.
- Large, shaped, centre hole allows for easy deployment when wearing wet or dry gloves.
- Colour coded to allow ease of identification of each size.
- High quality, high visibility line.
- Rugged construction.
- High tensile line leader to avoid damage to main line when 'tying off'.
- Line swivel to prevent line entanglement and twisting.
- Machined from one piece of aircraft grade aluminium.
- Anodised coating.
- Spool is not over-wound, enabling additional line to be added if required.
- Includes stainless steel bolt snap.
- Designed and manufactured in the UK.
- Line is sewn instead of tied to increase strength.
- Orange line, best for low light conditions.
- Easy-release pull tabs.

Part #	Description	THAI BAHT
RE121113	Small Spool Kit 15m	4,790.00
RE122114	Medium Spool Kit 30m	6,390.00
RE123113	Large Spool Kit 45m	6,790.00
RE124113	Extra-Large Spool Kit 60m	7,390.00

## APEKS SMB

Make sure you're seen first time, every time, with the Apeks Surface Marker Buoy. Easily the most feature rich SMB on the market today, a unique fully closed system oral inflator allows the buoy to be fully inflated on a single breath, meaning fast deployment in any situation. Both sides of the SMB have high quality SOLAS reflective tape panels to ensure maximum visibility.

Not only is the Apeks SMB the perfect surface marker buoy, it can also be used as an emergency float. Brass eyelets at the ends of the float allow the diver to fold the unit and secure it into a floating loop using bolt snaps.

### FEATURES

Unique oral inflation valve allows for easy one handed operation in cold water.

2" stainless steel D-ring allows for easy attachment to your reel or spool.

2 x brass eyelets at the top of the SMB allow you to attach a torch, strobe or slate, they also enable the SMB to be folded and used as an emergency float. The eyelets can also be used to attached your SMB to the Apeks Lifeline Ascend Reel.

SOLAS reflective tape on both sides ensure maximum visibility in rough seas and darkness.

Simple bungee closure system with enlarged rubber pull tab allow for easy stowage and deployment even when wearing gloves.

1.4 meter single breath oral inflate SMB.



Fully taped and heat sealed edges ensure the SMB is extremely durable.

Reflective logo print.

Over pressure relief valve with pull toggle ensures ease of use even when wearing gloves.

Available in orange and yellow.

Supplied in plastic free packaging.



## LINE MARKER

Line markers including directional arrows, non-directional markers and cookie markers. Available in packs of 5 in white or orange, each marker comes with an optional reflective sticker that can be added by the diver.

### FEATURES

Pack of 5.

Orange or White.

Highly reflective stickers included.



Part #	Description	THAI BAHT
TH117127	Non Directional Line Marker - White	690.00
TH117126	Non Directional Line Marker - Orange	690.00
TH117131	Cookie Line Marker - White	690.00
TH117129	Cookie Line Marker - Orange	690.00
TH117134	Arrow Line Marker - White	690.00
TH117133	Arrow Line Marker - Orange	690.00

Part #	Description	THAI BAHT
RE1250701	SMB Yellow	4,690.00
RE1250801	SMB Orange	4,690.00



©Aqua Lung International 2022 Aqua Lung®, Apeks®, White  
logos and their respective trademarks are registered trademarks  
Lung International. Products, technical details and specifications  
catalogue are subject to change without notice.



**apeks**

MAIN OFFICE:  
SAMUI SCUBA PRO CO., LTD  
124/189-191 M.3 T. MARET  
KOH SAMUI SURATTHANI 84310

TELEPHONE: 077 418 188  
FAX: 077 418 189  
E-MAIL: [EASYWAT@EASYWATERSPORTS.COM](mailto:EASYWAT@EASYWATERSPORTS.COM)  
WEB: [WWW.EASYWATERSPORTS.COM](http://WWW.EASYWATERSPORTS.COM)

© Samui Scuba Pro Co., Ltd. / All rights reserved 2025